

61. In apparatus, as defined in claim 46,
the combination comprising:

d) first upper and lower assemblies for
carrying and controllably driving said first upper and
lower endless conveyors,


e) there being a frame including at least
one guide supporting at least one of said first
assemblies for guided movement toward and away from the
other assembly,

f) and there being at least one spring for
exerting yieldable force to urge at least one of said
first conveyors toward the other and toward the wire.

R E M A R K S

Allowance is urged.

Respectfully submitted,


William W. Haefliger
Attorney for Applicant
Registration No. 17,120
(323) 684-2707

WWH:ts

Docket 12,335

This application is a continuation of prior U.S. application serial number 09/494,461 filed January 31, 2000, which is a divisional of prior U.S. application serial number 09/320,096 filed May 26, 1999, now U.S. Patent 6,272,740, which is a continuation of prior U.S. application serial number 08/845,065 filed April 21, 1997, now U.S. Patent 5,937,511, which is a continuation of prior U.S. serial number 08/353,352 filed December 2, 1994, now U.S. Patent 5,664,324, which is a continuation in part of prior U.S. application serial number 08/022,981 filed February 25, 1993, now U.S. Patent 5,375,485, which is a continuation in part of prior U.S. application 07/857,972 filed March 26, 1992, now U.S. Patent 5,293,683, which is a divisional of prior U.S. application 07/765,986 filed September 26, 1991 now U.S. Patent 5,253,555 which is a continuation in part of prior U.S. application serial number 07/659,557 filed February 22, 1991, abandoned, which is a continuation in part of prior U.S. application serial number 07/611,057 filed November 9, 1990 now U.S. Patent 5,146,673 and a continuation in part of prior U.S. application serial number 08/148,568 filed November 8, 1993 now U.S. Patent 5,469,763, which is a continuation in part of prior U.S. application serial number 08/022,981 filed February 25, 1993 now U.S.

Patent 5,375,485, which is a continuation in part of
prior U.S. application serial number 07/857,972 filed
March 26, 1992 now U.S. Patent 5,293,683, which is a
divisional of prior U.S. application serial number
07/765,986 filed September 26, 1991, now U.S. Patent
5,253,555, which is a continuation in part of prior
U.S. serial number 07/659,557 filed February 22, 1991
now abandoned, which is a continuation in part of prior
U.S. application serial number 07/611,057 filed
November 9, 1990 now U.S. Patent 5,146,673.